

Passive 10X Voltage Probe

TPP0100, TPP0101 Data Sheet



Features & Benefits

- 10X Attenuation
- 100 MHz Bandwidth
- 1.3 m Length
- UL61010-031;2007, CAN/CSA C22.2 No. 61010-031-07, IEC61010-031; IEC 61010-031/A1:2008

Applications

- Relative Low-frequency Measurements
- Low-frequency Computer and Telecom Measurements
- Power Supplies
- Low-frequency Amplifiers

TPP0100, TPP0101 Passive Voltage Probes

The TPP0100 and TPP0101 probes are 100 MHz, 10X passive voltage probes with 10 M Ω input resistance. These probes are for use on BNC oscilloscopes with 1 M Ω /13 pF (TPP0100) and 1 M Ω /20 pF (TPP0101) inputs.

For a complete list of compatible oscilloscopes, refer to the Tektronix Oscilloscope Probe & Accessory Selector Tool at <http://www.tek.com/probes>.

Characteristics

Characteristic	Description
Bandwidth	DC to 100 MHz
Probe Length	1.3 m
Compensation Range	
TPP0100	8 pF to 18 pF
TPP0101	15 pF to 25 pF
Input Capacitance	12 pF (typical)
Input Resistance	10 M Ω
Maximum Input Voltage	300 V CAT II

Ordering Information

Probe Packages

Package	Description
TPP0101-PK10	10-pack of TPP0101 probes
TPP0101-PK50	50-pack of TPP0101 probes

Accessories

TPP0100 and TPP0101 Include:

Accessory	Description
013-0362-xx	Retractable hook tip
016-2028-xx	Long ground spring
196-3521-xx	6 in. alligator ground

Optional Accessories for the TPP0100 and TPP0101

Accessory	Description
016-2034-xx	Short ground spring
196-3512-xx	12 in. alligator ground
196-3198-xx	6 in. clip-on ground lead with 0.025 in. pin receptacle
013-0363-xx	Micro hook tip
206-0569-xx	MicroCKT test tip
013-0366-xx	IC cap
013-0367-xx	BNC to probe tip adapter, unterminated
016-2016-xx	PCB to probe tip adapter, 10-pack
131-4210-00	Compact probe-tip chassis mount



Product(s) are manufactured in ISO registered facilities.



Product(s) complies with IEEE Standard 488.1-1987, RS-232-C, and with Tektronix Standard Codes and Formats.

Contact Tektronix:

- ASEAN / Australasia (65) 6356 3900
- Austria 00800 2255 4835*
- Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777
- Belgium 00800 2255 4835*
- Brazil +55 (11) 3759 7600
- Canada 1 800 833 9200
- Central East Europe, Ukraine, and the Baltics +41 52 675 3777
- Central Europe & Greece +41 52 675 3777
- Denmark +45 80 88 1401
- Finland +41 52 675 3777
- France 00800 2255 4835*
- Germany 00800 2255 4835*
- Hong Kong 400 820 5835
- India 000 800 650 1835
- Italy 00800 2255 4835*
- Japan 81 (3) 6714 3010
- Luxembourg +41 52 675 3777
- Mexico, Central/South America & Caribbean (52) 56 04 50 90
- Middle East, Asia, and North Africa +41 52 675 3777
- The Netherlands 00800 2255 4835*
- Norway 800 16098
- People's Republic of China 400 820 5835
- Poland +41 52 675 3777
- Portugal 80 80 12370
- Republic of Korea 001 800 8255 2835
- Russia & CIS +7 (495) 7484900
- South Africa +41 52 675 3777
- Spain 00800 2255 4835*
- Sweden 00800 2255 4835*
- Switzerland 00800 2255 4835*
- Taiwan 886 (2) 2722 9622
- United Kingdom & Ireland 00800 2255 4835*
- USA 1 800 833 9200

* European toll-free number. If not accessible, call: +41 52 675 3777

Updated 25 May 2010

For Further Information. Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit www.tektronix.com



Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.

08 Sep 2010

51W-25690-0

